

universaldrycleaningsolutions



UDS PTY LTD
3 SPIRETON PLACE, PENDLE HILL, NSW, 2145
TELEPHONE 61 2 9688 2022 FACSIMILE 61 2 9688 2044
EMAIL: CONSUMABLES@UDCS.COM.AU

Faultless Spray Starch - Aerosol

Safety Data Sheet According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 11/15/2017 Date of issue: 11/15/2017 Version: 2.0 11/15/2017 EN (English US) 1/9

1.1. Product Identifier

Product Form: Mixture

Product Name: Faultless Spray Starch - Aerosol

Product Code: 20722, 20706, 20708, 20737, 27764, 27722, 27708, 27737, 21706, 21725, 20505,

20520, 29708, 29722, 29737

1.2. Intended Use of the Product

Fabric Finish

1.3. Emergency Telephone Number

Emergency Number : 1800 625 526

*This document is intended to be used for safety in the workplace only, and is not a consumer document.

2.1. Classification of the Substance or Mixture

Classification (GHS-US)

Press. Gas (Liq.) H280

Full text of H-phrases: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US):

GHS04

Signal Word (GHS-US): Warning

Hazard Statements (GHS-US): H280 - Contains gas under pressure; may explode if heated.

Precautionary Statements (GHS-US): P410+P403 - Protect from sunlight. Store in a well-ventilated place.

2.3. Other Hazards

No additional information available.

2.4. Unknown Acute Toxicity (GHS-US) No data available

3.1. Substances

Not applicable

3.2. Mixture

Name Product Identifier % (w/w)

Butane (CAS No) 106-97-8 1 - 5

Propane (CAS No) 74-98-6 0.5 - 1

Isobutane (CAS No) 75-28-5 0.1 - 1

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

A range of concentration as prescribed by the Controlled Products Regulations has been used where necessary, due to varying composition.









A.C.N. 093 740 795

UDS PTY LTD
3 SPIRETON PLACE, PENDLE HILL, NSW, 2145
TELEPHONE 61 2 9688 2022 FACSIMILE 61 2 9688 2044
EMAIL: CONSUMABLES@UDCS.COM.AU

4.1. Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty

Skin Contact: Remove contaminated clothing. Gently wash with plenty of soap and water followed by rinsing with water for at least

15 minutes. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Obtain medical attention.

Ingestion: Ingestion is not an anticipated route of exposure. If accidental ingestion occurs, flush mouth out with water and get medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: None expected under normal conditions of use.

Inhalation: Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Skin Contact: Prolonged exposure may cause skin irritation.

Eye Contact: Prolonged exposure to liquid may cause a mild irritation.

Ingestion: Not expected to be a primary route of exposure.

Chronic Symptoms: None expected under normal conditions of use.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

5.1. Extinguishing Media

5.2. Special Hazards Arising From the Substance or Mixture

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Do not allow run-off from fire fighting to enter drains or water sources. Do not breathe fumes from fires or

vapors from decomposition. Closed containers exposed to heat may explode. In case of major fire and large quantities: Evacuate

area. Fight fire remotely due to the risk of explosion.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide and low molecular weight hydrocarbons.

Reference to Other Sections

Refer to section 9 for flammability properties.









A.C.N. 093 740 795

UDS PTY LTD
3 SPIRETON PLACE, PENDLE HILL, NSW, 2145
TELEPHONE 61 2 9688 2022 FACSIMILE 61 2 9688 2044
EMAIL: CONSUMABLES@UDCS.COM.AU

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all unnecessary exposure. Do not breathe vapor, mist or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the

presence of dangerous goods,

protect oneself and the public, secure the area, and call for the assistance of trained personnel as

soon as conditions permit.

6.2. Environmental Precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Ventilate area.

Methods for Cleaning Up: Stop the source of the release, if safe to do so. Consider the use of water

spray to disperse vapors. Isolate

the area until gas has dispersed. Ventilate and gas test area before entering.

Other information: Dispose of materials or solid residues at an authorized site.

Suitable Extinguishing Media: Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Fire Hazard: Contains gas under pressure; may explode if heated.

Explosion Hazard: Pressurized container: may burst if heated.

Reactivity: Stable at ambient temperature and under normal conditions of use.

6.4. Reference to Other Sections

See Section 8, Exposure Controls and Personal Protection. See Section 13, Disposal Considerations.

7.1. Precautions for Safe Handling

Additional Hazards When Processed: Do not puncture or incinerate container.

Precautions for Safe Handling: Keep away from heat, sparks, open flames, hot surfaces. – No smoking.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when

using this product. Always wash hands after handling the product.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from

Heat sources. Extremely high or low temperatures, Direct sunlight. Do not expose to temperatures exceeding 50°C/ 122°F. Keep in

fireproof place. Protect from light.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. Water reactive materials. Halogens.

Special Rules on Packaging: Keep only in the original container.

7.3. Specific End Use(s)

Fabric Finish









A.C.N. 093 740 795

UDS PTY LTD
3 SPIRETON PLACE, PENDLE HILL, NSW, 2145
TELEPHONE 61 2 9688 2022 FACSIMILE 61 2 9688 2044
EMAIL: CONSUMABLES@UDCS.COM.AU

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier,

importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL),

Canadian provincial governments, or

the Mexican government.

Isobutane (75-28-5)

USA ACGIH ACGIH STEL (ppm) 1000 ppm

USA NIOSH NIOSH REL (TWA) (mg/m³) 1900 mg/m³

USA NIOSH NIOSH REL (TWA) (ppm) 800 ppm

Manitoba OEL STEL (ppm) 1000 ppm

Newfoundland & Labrador OEL STEL (ppm) 1000 ppm

Nova Scotia OEL STEL (ppm) 1000 ppm

Ontario OEL TWA (ppm) 800 ppm

Prince Edward Island OEL STEL (ppm) 1000 ppm

Saskatchewan OEL STEL (ppm) 1250 ppm

Saskatchewan OEL TWA (ppm) 1000 ppm

Butane (106-97-8)

USA ACGIH ACGIH STEL (ppm) 1000 ppm

USA NIOSH NIOSH REL (TWA) (mg/m³) 1900 mg/m³

USA NIOSH NIOSH REL (TWA) (ppm) 800 ppm

Alberta OEL TWA (ppm) 1000 ppm

British Columbia OEL STEL (ppm) 750 ppm

British Columbia OEL TWA (ppm) 600 ppm

Manitoba OEL STEL (ppm) 1000 ppm

New Brunswick OEL TWA (mg/m³) 1900 mg/m³

New Brunswick OEL TWA (ppm) 800 ppm

Newfoundland & Labrador OEL STEL (ppm) 1000 ppm

Nova Scotia OEL STEL (ppm) 1000 ppm

Nunavut OEL STEL (mg/m³) 2576 mg/m³

Nunavut OEL STEL (ppm) 1000 ppm

Nunavut OEL TWA (mg/m³) 1901 mg/m³

Nunavut OEL TWA (ppm) 800 ppm

Northwest Territories OEL STEL (mg/m³) 2576 mg/m³

Northwest Territories OEL STEL (ppm) 1000 ppm

Northwest Territories OEL TWA (mg/m³) 1901 mg/m³

Northwest Territories OEL TWA (ppm) 800 ppm

Ontario OEL TWA (ppm) 800 ppm

Prince Edward Island OEL STEL (ppm) 1000 ppm

Québec VEMP (mg/m³) 1900 mg/m³

Québec VEMP (ppm) 800 ppm

Saskatchewan OEL STEL (ppm) 1250 ppm

Saskatchewan OEL TWA (ppm) 1000 ppm

Yukon OEL STEL (mg/m³) 1600 mg/m³

Yukon OEL STEL (ppm) 750 ppm

Yukon OEL TWA (mg/m³) 1400 mg/m³

Yukon OEL TWA (ppm) 600 ppm

Propane (74-98-6)







universaldrycleaningsolutions



UDS PTY LTD
3 SPIRETON PLACE, PENDLE HILL, NSW, 2145
TELEPHONE 61 2 9688 2022 FACSIMILE 61 2 9688 2044
EMAIL: CONSUMABLES@UDCS.COM.AU

USA OSHA OSHA PEL (TWA) (mg/m³) 1800 mg/m³
USA OSHA OSHA PEL (TWA) (ppm) 1000 ppm
USA NIOSH NIOSH REL (TWA) (mg/m³) 1800 mg/m³
USA NIOSH NIOSH REL (TWA) (ppm) 1000 ppm
USA IDLH US IDLH (ppm) 2100 ppm (10% LEL)
Alberta OEL TWA (ppm) 1000 ppm
British Columbia OEL TWA (ppm) 1000 ppm
Ontario OEL TWA (ppm) 1000 ppm
Québec VEMP (mg/m³) 1800 mg/m³
Québec VEMP (ppm) 1000 ppm

Saskatchewan OEL STEL (ppm) 1250 ppm Saskatchewan OEL TWA (ppm) 1000 ppm

8.2. Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity

of any potential exposure. Ensure adequate ventilation, especially in confined areas. Gas detectors should be used when flammable

gases or vapors may be released. Ensure all national/local regulations are observed.

Personal Protective Equipment: Dust/aerosol mask. Safety glasses.

Hand Protection: None required under normal product handling conditions.

Eye Protection: Safety glasses.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved

respiratory protection should be worn.

Environmental Exposure Controls: Avoid release to the environment. **Consumer Exposure Controls:** Do not eat, drink or smoke during use

9.1. Information on Basic Physical and Chemical Properties

Physical State: Liquid

Appearance: Clear to hazy aerosol

Odor : Pleasant

Odor Threshold: Not available

pH: ≈ 6.5

Evaporation Rate: Not available Melting Point: Not available Freezing Point: Not available Boiling Point: 100 °C (212 °F) Flash Point: Not available

Auto-ignition Temperature : Not available Decomposition Temperature : Not available Flammability (solid, gas) : Not available Lower Flammable Limit : Not available Upper Flammable Limit : Not available

Vapor Pressure : Not available

Relative Vapor Density at 20 °C: Not available

Relative Density: Not available







universaldrycleaningsolutions



UDS PTY LTD
3 SPIRETON PLACE, PENDLE HILL, NSW, 2145
TELEPHONE 61 2 9688 2022 FACSIMILE 61 2 9688 2044
EMAIL: CONSUMABLES@UDCS.COM.AU

Specific Gravity: 1.008 g/ml **Solubility**: Water: 95 - 96%

Partition Coefficient: N-Octanol/Water: Not available

Viscosity: Not available

Explosive Properties: Pressurized container: may burst if heated

Explosion Data - Sensitivity to Mechanical Impact: Not expected to present an explosion hazard due

to mechanical impact.

Explosion Data - Sensitivity to Static Discharge: Not expected to present an explosion hazard due to

static discharge.

10.1. Reactivity: Stable at ambient temperature and under normal conditions of use.

10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

10.4. Conditions to Avoid: Ignition sources. Incompatible materials. Heat. Sparks. Open flame.

Overheating.

10.5. Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. Water reactive materials.

Halogens.

10.6. Hazardous Decomposition Products: Thermal decomposition generates: Carbon oxides (CO,

CO₂). Low molecular weight hydrocarbon fragments.

11.1. Information on Toxicological Effects - Product

LD50 and LC50 Data: Not available Skin Corrosion/Irritation: Not classified

pH: ≈ 6.5

Serious Eye Damage/Irritation: Not classified

pH: ≈ 6.5

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not available **Carcinogenicity:** Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Intentional misuse by deliberately concentrating and inhaling

the contents can be harmful or

fatal.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: Prolonged exposure to liquid may cause a mild irritation.

Symptoms/Injuries After Ingestion: Not expected to be a primary route of exposure.

Chronic Symptoms: None expected under normal conditions of use.

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Acute Toxicity: Not classified







universaldrycleaningsolutions



UDS PTY LTD
3 SPIRETON PLACE, PENDLE HILL, NSW, 2145
TELEPHONE 61 2 9688 2022 FACSIMILE 61 2 9688 2044
EMAIL: CONSUMABLES@UDCS.COM.AU

Isobutane (75-28-5)

LC50 Inhalation Rat 658 mg/l/4h

LC50 Inhalation Rat 11000 ppm

Butane (106-97-8)

LC50 Inhalation Rat 30957 mg/m³ (Exposure time: 4 h)

Propane (74-98-6)

LC50 Inhalation Rat 658 mg/l/4h

12.1. Toxicity No additional information available

12.2. Persistence and Degradability Not available

12.3. Bioaccumulative Potential

Isobutane (75-28-5)

BCF Fish 1 1.57 - 1.97

Log Pow 2.88 (at 20 °C)

Butane (106-97-8)

Log Pow 2.89

Propane (74-98-6)

Log Pow 2.3

12.4. Mobility in Soil Not available

12.5. Other Adverse Effects Not available

13.1. Waste treatment methods

Sewage Disposal Recommendations: Do not empty into drains; dispose of this material and its container in a safe way.

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Additional Information: Do not pressurize, cut, or weld containers.

14.1. In Accordance with DOT

Proper Shipping Name: AEROSOLS, NON-FLAMMABLE (each not exceeding 1 L capacity)

Hazard Class: 2.2

Identification Number: UN1950

Label Codes: 2.2 ERG Number: 126

Shipped under 49 CFR, Packaging Exception 173.306 - Consumer Commodities, Limited Quantities of

Compressed Gases

14.2. In Accordance with IMDG

 $\textbf{Proper Shipping Name}: A \textit{EROSOLS}, \, NON\text{-}FLAMMABLE}$

Hazard Class: 2 Division: 2.2

Identification Number: UN1950

Label Codes: 2.2 EmS-No. (Fire): F-D EmS-No. (Spillage): S-U MFAG Number: 126









A.C.N. 093 740 795

UDS PTY LTD
3 SPIRETON PLACE, PENDLE HILL, NSW, 2145
TELEPHONE 61 2 9688 2022 FACSIMILE 61 2 9688 2044
EMAIL: CONSUMABLES@UDCS.COM.AU

14.3. In Accordance with IATA

Proper Shipping Name: AEROSOLS, NON-FLAMMABLE

Identification Number: UN1950

Hazard Class: 2 Label Codes: 2.2 Division: 2.2 ERG Code (IATA): 2L

14.4. In Accordance with TDG

Proper Shipping Name: AEROSOLS, NON-FLAMMABLE

Hazard Class: 2.2

Identification Number: UN1950

Label Codes: 2.2

15.1. US Federal Regulations

Isobutane (75-28-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Butane (106-97-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Propane (74-98-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. US State Regulations

Isobutane (75-28-5)

- U.S. Delaware Accidental Release Prevention Regulations Sufficient Quantities
- U.S. Delaware Accidental Release Prevention Regulations Threshold Quantities
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Maine Chemicals of High Concern
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- RTK U.S. Massachusetts Right To Know List
- U.S. Minnesota Chemicals of High Concern
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New Jersey TCPA Extraordinarily Hazardous Substances (EHS)
- U.S. Ohio Accidental Release Prevention Threshold Quantities
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Butane (106-97-8)









A.C.N. 093 740 795

UDS PTY LTD
3 SPIRETON PLACE, PENDLE HILL, NSW, 2145
TELEPHONE 61 2 9688 2022 FACSIMILE 61 2 9688 2044
EMAIL: CONSUMABLES@UDCS.COM.AU

- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Delaware Accidental Release Prevention Regulations Sufficient Quantities
- U.S. Delaware Accidental Release Prevention Regulations Threshold Quantities
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Maine Chemicals of High Concern
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1

Faultless Spray Starch - Aerosol

SARA Section 311/312 Hazard Classes Sudden release of pressure hazard

- $\hbox{U.S. Massachusetts Oil \& Hazardous Material List Soil Reportable Concentration Reporting Category 2}\\$
- RTK U.S. Massachusetts Right To Know List
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New Jersey TCPA Extraordinarily Hazardous Substances (EHS)
- U.S. New York Occupational Exposure Limits TWAs
- U.S. Ohio Accidental Release Prevention Threshold Quantities
- U.S. Oregon Permissible Exposure Limits TWAs
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs

Propane (74-98-6)

- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Delaware Accidental Release Prevention Regulations Sufficient Quantities
- U.S. Delaware Accidental Release Prevention Regulations Threshold Quantities
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2









A.C.N. 093 740 795

UDS PTY LTD 3 SPIRETON PLACE, PENDLE HILL, NSW, 2145 TELEPHONE 61 2 9688 2022 FACSIMILE 61 2 9688 2044 EMAIL: CONSUMABLES@UDCS.COM.AU

- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- RTK U.S. Massachusetts Right To Know List
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New Jersey TCPA Extraordinarily Hazardous Substances (EHS)
- U.S. New York Occupational Exposure Limits TWAs
- U.S. Ohio Accidental Release Prevention Threshold Quantities
- U.S. Oregon Permissible Exposure Limits TWAs
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs



