



## **OXYGEN BLEACH POWDER**

#### 1. IDENTIFICATION

Product name: OXYGEN BLEACH POWDER

Synonyms Product Code SODIUM PERCARBONATE 571

Recommended use: BLEACHING AGENT FOR DOMESTIC AND INDUSTRIAL USE.

Supplier Name UDS PTY LTD T/AS UNIVERSAL DRY CLEANING SOLUTIONS

Address 3 Spireton Place PENDLE HILL NSW 2145

 Telephone
 02 9688 2022

 Fax
 02 9688 2044

 Emergency
 1800 201 700

Email consumables@udcs.com.au

Web Site www.udsptyltd.com.au

SDS Date 22 September 2016 Version 1.1

## 2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) 6

**Globally Harmonised System** 

Hazard Classification Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of

Chemicals (GHS)

Hazard Categories Acute Toxicity (Oral) - Category 4

Serious Eye Damage/Irritation - Category 1

Oxidising Solids - Category 2

Pictograms







Signal Word Not Determined

Hazard Statements H302 Harmful if swallowed.

H318 Causes serious eye damage.H272 May intensify fire; oxidizer.

**Precautionary Statements** Prevention **P210** Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P221 Take any precaution to avoid mixing with combustibles/...

**P280** Wear protective gloves/protective clothing/eye protection/face protection.

Response P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.





## **OXYGEN BLEACH POWDER**

P310 Immediately call a POISON CENTER or doctor/physician.

Disposal P501 Dispose of contents/container in accordance with local / regional / national /

international regulations.

**National Transport Commission (Australia)** 

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods

by Road & Rail (ADG Code)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Disodium carbonate, compound with hydrogen peroxide (2:3)	No Data Available	15630-89-4	88 %
Sodium Carbonate	No Data Available	497-19-8	8.67 %
Sodium Chloride	No Data Available	7647-14-5	2.19 %

#### 4. FIRST AID MEASURES

#### Description of necessary measures according to routes of exposure

Swallowed If the subject is completely conscious, rinse mouth and administer fresh water. Don't induce vomiting. If

the subject is unconscious, loosen collar and tight clothing, lay the victim on his/her left side, and give

nothing by mouth. Keep warm with blanket. Don't induce vomiting.

Eye Remove contact lenses. Flush eyes immediately with large quantities of running water, while keeping eyelids wide

open (at least for 15-20 minutes). Get medical attention immediately.

Skin Remove contaminated clothing, shoes, etc. immediately. Wash the affected skin with soap or mild detergent and

large quantities of running water until no evidence of chemical remains. Get medical attention in case of persistent

pain or redness.

Inhaled Remove the subject from exposure immediately and perform artificial respiration, if needed. Get medical attention in

case of respiratory symptoms.

Advice to Doctor Treat symptomatically based on judgement of doctor and individual reactions of patient.

Give artificial respiration if victim is not breathing.
Administer oxygen if breathing is difficult.

- Remove and isolate contaminated clothing and shoes.

- Contaminated clothing may be a fire risk when dry.

- Keep victim warm and quiet.

- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Medical Conditions Aggravated

by Exposure

Persons with pre-existing skin, eye, or respiratory disease may be at increased risk from the irritant or allergic properties of this material.

### 5. FIRE FIGHTING MEASURES

General Measures Intervention only by capable personnel who are trained and aware of the hazards of the product. Evacuate all

nonessential personnel. If safe to do so, remove unaffected product to a safe area.

**Flammability Conditions** Product is an Oxidizing Solid. Oxygen released on exothermic decomposition may support combustion.





## **OXYGEN BLEACH POWDER**

**Extinguishing Media** 

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Fire and Explosion Hazard

Oxidising material. Contact with combustible materials my cause fire. It may decompose explosively when heated or involved in a fire. May explode from heat or contamination. Containers may explode when heated. Run off may create fire or explosion hazard. Can be released in case of fire: Carbon monoxide and carbon dioxide, Sodium oxide.

Hazardous Products of Combustion

Fire may produce irritating, corrosive and/or toxic gases. Decomposition releases steam/heat.





## **OXYGEN BLEACH POWDER**

Special Fire Fighting Instructions Do NOT allow fire fighting water to reach waterways, drains or sewers. Store fire fighting water for treatment. Dam fire

control water for later disposal.

Personal Protective Equipment Fire fighters should wear a positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting

clothing (includes fire fighting helmet, coat, trousers, boots and gloves) or chemical splash suit.

Flash Point

No Data Available

Lower Explosion Limit

No Data Available

Upper Explosion Limit

No Data Available

Auto Ignition Temperature

No Data Available

Hazchem Code 1Y

#### 6. ACCIDENTAL RELEASE MEASURES

General Response Procedure Avoid materials and products which are incompatible with the product (see section 10). Avoid direct contact of the

product with water. Do not touch damaged containers or spilled material unless wearing appropriate protective

clothing.

Clean Up Procedures Collect the product with suitable means, shovel or sweep, avoiding dust formation. All receiving equipment should be

clean, dry, vented, labelled and made of material is compatible with the product.Do NOT return spilled or

 $contaminated \, material \, to \, inventory. \\$ 

- Small spill: With clean shovel place material into clean, dry container and cover loosely; move containers from spill

area.

- Large spill: Dike far ahead of liquid spill for later disposal. Following product recovery, flush area with water.

**Containment** Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

**Decontamination**Clean the area with large quantities of water. For disposal methods, refer to section 13.%

#### **Environmental Precautionary Measures**

Ventilate for proper method. Make an embankment for further processing. Prevent entry into waterways, sewers, basements or confined areas. If product does enter a waterway, advise the Environmental Protection Authority or your local Waste Management. **Evacuation Criteria** Evacuate all unnecessary personnel.

**Personal Precautionary Measures** Do NOT touch damaged containers or spilled material unless wearing appropriate protective clothing as listed in section 8.

Handling Clean and dry process piping and equipment before using the product. Never return spillage to its original package or for reuse. Keep away from

## 7. HANDLING AND STORAGE

incompatible products. Do not use vacuum cleaner for cleaning up. Avoid contact and avoid breathing the material. Emergency showers and eye wash should be readily accessible. Remove all sources of ignition. Containers and equipment used to handle the product should be used exclusively for that product. Avoid any contact with water or humidity.

Provide appropriate exhaust ventilation at places where dust is formed.

Keep away from sources of ignition -No smoking. Keep away from combustible material.

Storage Store in a cool, dry, well-ventilated area. Keep containers tightly closed when not in use. Inspect regularly for

deficiencies such as damage or leaks. Protect against physical damage. Store away from incompatible materials as listed in section 10. Protect from direct sunlight. Keep away from heat sources. Keep away from reactive products. Store in vented containers. This product has a UN classification of 3378 and a Dangerous Goods Class 5.1 (Oxidiser)

according to The Australian Code for the Transport of Dangerous Goods By Road and Rail.

Container Do not leave container open. Avoid formation of dust and aerosols. Container type/packaging must comply with all

applicable local legislation. Store in original packaging as approved by manufacturer.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General No exposure standard has been established for this product by the Australian Safety and Compensation Council

(ASCC). However, the exposure standard for dust not otherwise specified is 10mg/m3 (for inspirable dust) and

3mg/m3 (for respirable dust).

**Exposure Limits** No Data Available





## **OXYGEN BLEACH POWDER**

**Biological Limits** No information available on biological limit values for this product.

Engineering Measures A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local

exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Provide natural or explosion-proof ventilation adequate to

ensure concentrations are kept below exposure limits. Check legal suitability of exposure level.

**Personal Protection Equipment** RESPIRATOR: Use only respiratory protection that conforms to international/national standards - Use breathing

masks with dust filter P2 (AS1715/1716).

EYES: Use tightly fitting, chemical resistant safety goggles (AS1336/1337).

HANDS: Use suitable gloves of PVC, neoprene or natural rubber having a penetration time of 4-8 hours - Do not

leather or cotton gloves when handling a wet product (AS2161).

CLOTHING: For brief contact, few precautions other than clean body-covering clothing should be needed. When prolonged or frequently repeated contact could occur, use protective, full body clothing, such as PVC or rubber,

impervious to this material and safety footwear (AS3765/2210).

**Special Hazards Precaustions** 

Consult a health and safety expert for the selection of personal protective equipment suitable for the working conditions.

Work Hygienic Practices Handle in accordance with good industrial hygiene and safety practice.

Wash hands before breaks and at the end of workday.

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid

AppearanceGranular Solid,OdourOdourlessColourWhite or colourpH10.0 + 1.0

Vapour Pressure <10-3 Pa (@ 25 °C) **Relative Vapour Density** No Data Available **Boiling Point** No Data Available **Melting Point** No Data Available No Data Available Freezing Point Solubility 140q/L 24°C Specific Gravity No Data Available Flash Point No Data Available No Data Available **Auto Ignition Temp Evaporation Rate** No Data Available **Bulk Density** 0.80-1.0 g/cm3

**Decomposition Temperature** Self-accelerating decomposition with oxygen release starting from 50 °C

No Data Available

Density2.01 - 2.16 RelativeSpecificNo Data Available

Heat

Corrosion Rate

Molecular Weight314.06 g/molNet Propellant WeightNo Data Available

Octanol Water Coefficient Not applicable. Sodium percarbonate is a simple inorganic salt.

Particle SizeNo Data AvailablePartition CoefficientNo Data AvailableSaturated Vapour ConcentrationNo Data AvailableVapour TemperatureNo Data Available





## **OXYGEN BLEACH POWDER**

ViscosityNo Data AvailableVolatile PercentNo Data AvailableVOC VolumeNo Data Available

Additional Characteristics Oxidising properties: Oxidising solid of class 5.1 (UN Recommendations)

Potential for Dust Explosion No Data Available





## **OXYGEN BLEACH POWDER**

**Fast or Intensely Burning Characteristics** 

Flame Propagation or Burning Rate of Solid Materials

Non-Flammables That Could Contribute Unusual Hazards to a Fire

Properties That May Initiate or Contribute to Fire Intensity

No Data Available No Data Available No Data Available

No Data Available

Reactions That Release Gases or No Data Available Vapours Release of Invisible Flammable Vapours and Gases

No Data Available

#### 10. STABILITY AND REACTIVITY

General Information Oxidising Solid

Reactivity: Oxidising agents, actual reactivity varies greatly with the identity of the organic compound.

Chemical Stability Stable under normal temperature conditions and recommended use.

**Conditions to Avoid**Avoid moisture. Avoid temperatures above 60 °C, direct sunlight and contact with sources of heat.

Materials to Avoid Water, Acids, Bases, Salts of heavy metals, Reducing agents, Organic materials, Flammable substances.

The substance can react dangerously with reducing agents, flammable substances.

**Hazardous Decomposition Products** 

Can be released in case of fire: Carbon monoxide and carbon dioxide, Sodium oxide.

Hazardous Polymerisation No Data Available

## 11. TOXICOLOGICAL INFORMATION

General Information Oral route LD50 Rat (combined sexes): 1034 mg/Kg (OECD SIDS)

Dermal route LDLo Rabbit: >2000 mg/Kg (OECD SIDS)
Inhalation LC0, 1 hour, Rat: >4.58 mg/L/4h (OECD SIDS)

General: Irritating to mucous membrane, eyes and skin.

Irritation:

Eyes, severe damage: Rabbit Skin, slightly irritating: Rabbit

Sensitization:

No sensitization was noted when administered as a 75% w/v mixture during induction and as a 25% w/v mixture at challenge

Comments: Toxic effect linked with irritant properties

- (a) Acute toxicity: It can be concluded that the existing animal data on acute toxicity show that sodium percarbonate exhibits local irritation effects in the gastrointestinal and respiratory tracts and on the skin. Systemic effects are not to be expected. Sodium percarbonate should be classified for acute oral toxicity, Category 4 based on the criteria of the CLP Regulation (EC) No 1272/2008.
- (b) Skin corrosion/irritation: A human patch test performed with sodium percarbonate (York et al. 1996) and a valid and reliable skin irritation test performed with rabbits Glaza 1990c) shows that sodium percarbonate is not irritating to the skin.
- (c) Serious eye damage/irritation: In test (BASF test) on rabbit eye corrosion, eye corrosion was observed.
- (d) Respiratory or skin sensitization: A valid GLP guideline study was conducted with guinea pigs in which sodium percarbonate was not a skin sensitizer.
- (e) Germ cell mutagenicity: Data on the mutagenicity of sodium percarbonate are not available but it is likely that any test results for sodium percarbonate will be similar to those of hydrogen peroxide due to the release of hydrogen peroxide in aqueous media. The available studies on hydrogen peroxide, most of them, in particular the in vivo studies, were performed according to OECD guidelines and GLP, are not in support of significant





## OXYGEN BLEACH POWDER

genotoxicity/mutagenicity under in vivo conditions. Therefore sodium percarbonate is also unlikely to have any in vivo genotoxic potential.

(f) Carcinogenicity: Carcinogenicity studies with animals and sodium percarbonate are not available.

(g) Reproductive toxicity: In conclusion, the available information supports the view that sodium percarbonate and its dissociation products hydrogen peroxide and sodium carbonate do not act as reproductive toxicants or may reach the developing foetus under the conditions of human exposure. It can thus be concluded that the substances should not be considered as reproductive or developmental toxicants.

(h) STOT-single exposure: The respiratory irritation can be explained by the elevated particle concentration in the breathing air and the formation of hydrogen peroxide and sodium carbonate from the dissociation of sodium percarbonate in the upper respiratory tract. The RD50 was approximately 700 mg/m3.

(i) STOT-repeated exposure: As it is expected that repeated dose toxicity of sodium percarbonate will mainly be mediated by hydrogen peroxide, no observed adverse effect levels can be defined on the basis of its hydrogen peroxide content. Based on the 90-day drinking water study according to OECD guidelines and GLP with hydrogen peroxide and catalase deficient mice, the predicted NOAEL of sodium percarbonate would be 308 ppm (81 to 115 mg/kg bw/day for males and females, respectively)

May cause skin irritation when exposed for long periods of time. Slight irritation. In case of repeated contact: risk of

(j) Aspiration hazard: Not relevant.

Eyelrritant Severe eye irritation, watering and redness, can cause burns to the eye. Risk of serious or permanent eye lesions. In

case of repeated contact: risk of dermatitis.

Ingestion Harmful if swallowed. Severe irritation of the mouth, throat, esophagus and stomach. Bloating of stomach, belching.

Nausea, vomiting and diarrhea.

Inhalation Slight nose and throat irritation. At high concentrations, cough. In case of repeated or prolonged exposure: risk of

sore throat, nose bleeds, chronic bronchitis.

dermatitis.

Carcinogenicity No component of this product presents at levels greater than or equal to 0.1% is identified as probable,

possible or confirmed human carcinogen by IARC.

Mutagenicity No component of this product presents at levels greater than or equal to 0.1% is identified as probable,

possible or confirmed human carcinogen by IARC.

Carcinogen Category No Data Available

#### 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Fish: 96hr-LC50 = 70.7mg/L (Pimephales promelas)

> Fish:96hr-NOEC = 1mg/L (Pimephales promelas) Invertebrates: 48hr-EC = 4.9mg/L (Daphnia magna) Invertebrates: 48d-NOEC = 2.0mg/L (Daphnia magna) Algae: 72hr-EC50 = 7.7mg/L (Crupina vulgaris) Algae: 72hr-NOEC = 0.3mg/L (Crupina vulgaris)

## Persistence/Degradability

SkinIrritant

Sodium percarbonate dissociates in water into hydrogen peroxide and sodium carbonate. Hydrogen peroxide is rapidly degraded in a biological waste water treatment plant. (OECD SIDS).

Volatilisation of hydrogen peroxide from surface waters and moist soil is expected to be very low, while it is expected to be highly mobile in soil. (OECD SIDS)

Do NOT let product reach waterways, drains and sewers. **Environmental Fate** 

**Bioaccumulation Potential** Both sodium carbonate and hydrogen peroxide (log Kow < -1) are inorganic chemicals which do not bioaccumulate.

(OECD SIDS).

**Environmental Impact** No Data Available

### 13. DISPOSAL CONSIDERATIONS

**General Information** Dispose of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in

accordance with Local, State, and Federal Regulations or recycled/reconditioned at an approved facility.

Special Precautions for Land



## **OXYGEN BLEACH POWDER**

Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

**Land Transport (Australia)** ADG





## **OXYGEN BLEACH POWDER**

Proper Shipping Name SODIUM CARBONATE PEROXYHYDRATE

Class 5.1 Oxidising Substances

Subsidiary Risk(s) No Data Available

**EPG** 31 Oxidizing Substances

 UN Number
 3378

 Hazchem
 1Y

 Pack Group
 II

Special Provision No Data Available

Sea Transport IMDG Code

Proper Shipping Name SODIUM CARBONATE PEROXYHYDRATE

Class 5.1 Oxidising Substances

Subsidiary Risk(s) No Data Available

 UN Number
 3378

 Hazchem
 1Y

 Pack Group
 II

Special Provision No Data Available

EMS F-A,S
Marine Pollutant No

Air Transport

IATA

 Proper Shipping Name
 SODIUM CARBONATE PEROXYHYDRATE

Class 5.1 Oxidising Substances

Subsidiary Risk(s) No Data Available

UN Number 3378 Hazchem 1Y

Pack Group IISpecial Provision No Data Available

## **National Transport Commission (Australia)**

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

**Dangerous Goods Classification** Transport of Dangerous Goods Dangerous Goods according to the criteria of the Australian Code for the

by Road & Rail (ADG Code)

## 15. REGULATORY INFORMATION

General Information No Data Available

Poisons Schedule (Aust) 6

National/Regional Inventories





## **OXYGEN BLEACH POWDER**

Australia (AICS) Listed

Canada (DSL) Listed

Canada (NDSL) Not Determined

China (IECSC) Listed

Europe (EINECS) Listed

Europe (REACh) Not Determined

Japan (ENCS/METI) Listed

Korea (KECI) Listed

Malaysia (EHS Register) Not Determined

New Zealand (NZIoC) Not Determined

Philippines (PICCS) Not Determined

Switzerland (Giftliste 1) Not Determined

Switzerland (Inventory of Notified Substances)

Not Determined

Taiwan (NCSR) Not Determined

USA (TSCA) Listed

## 16. OTHER INFORMATION

#### **Additional Information**

### **ABBREVIATIONS:**

ADB - Air-Dry Basis.

BEI - Biological Exposure Indice(s)

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

CNS - Central Nervous System.

EINECS - European Inventory of Existing Commercial Substances.

GHS - Globally Harmonized System

IARC - International Agency for Research on Cancer.

M - moles per litre, a unit of concentration. mg/m3 - Milligrams per cubic meter. NOS - Not Otherwise Specified.

NTP - National Toxicology Program.

OSHA - Occupational Safety and Health Administration.

pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14

(highly alkaline). ppm - Parts Per Million.

RTECS - Registry of Toxic Effects of Chemical Substances. TWA/ES - Time Weighted Average or Exposure Standard.

## **HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness





## **OXYGEN BLEACH POWDER**

of control measures; protective equipment used and method of application. Given that it is impractical to prepare a UDS Pty Ltd report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this UDS Pty Ltd report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

### **Report Status**

This Safety Data Sheet document has been compiled by UDS Pty Ltd. Further clarification regarding any aspect of this product should contact UDS Pty Ltd directly. While UDS Pty Ltd has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, UDS Pty Ltd accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.